



COMPANIA NACIONAL DE ABRASIVOS, S.A. DE C.V.
 PLANTA: AVENIDA 1 DE MAYO No. 1801 ORIENTE ZONA INDUSTRIAL
 TOLUCA, MEX. C.P. 50071
 CONMUTADOR: (722) 548-03-30 VENTAS 548-03-40 FAX. 216-08-12
 EMAIL: cinasatol@prodigy.net.mx
www.cinasa.com.mx



SAFETY DATA SHEET

Section I - Chemical Product and Company Information

Product Name	Vitrified Bonded Abrasive Products ITEM # W0315
Trade Name	Grinding Wheels
Manufacturer	Cia. Nacional de Abrasivos S.A. de C.V. Av. Primero de Mayo 1801 Ote. Zona Industrial Toluca, Edo. de México 50071
Phone Number	722 5480330
Fax Number	722 5480349
Effective Date	July, 2017

Section II - Composition Information on Ingredients

Chemical Name	CAS #	ACGIH TLV	OSHA PEL	NIOSH	Carc. Y/N	Max. %
Aluminum Oxide	1344-28-1	10 mg/m ³	15 mg/m ³	NA	N	95
Glass or Glass / Porcelain	NA	10 mg/m ³	15 mg/m ³	5 mg/m ³	N	40

HMIS Hazard Rating	
Health	0
Flammability	0
Reactivity	0
Personal Protection	E



COMPANIA NACIONAL DE ABRASIVOS, S.A. DE C.V.
 PLANTA: AVENIDA 1 DE MAYO No. 1801 ORIENTE ZONA INDUSTRIAL
 TOLUCA, MEX. C.P. 50071
 CONMUTADOR: (722) 548-03-30 VENTAS 548-03-40 FAX. 216-08-12
 EMAIL: cinasatol@prodigy.net.mx
www.cinasa.com.mx



Section III - Hazards Identification

Emergency Overview:	Dust may be irritating. May cause delayed lung damage. Low hazard to usual industrial or commercial handling.
Target Organs:	Respiratory System
Inhalation:	Grinding generates dust. Prolonged exposure to grinding dust may cause respiratory problems or aggravate existing conditions. Inhalation during grinding can cause coughing and shortness of breath. Consideration should also be given to the airborne concentration of the material being ground.
Eye Contact:	Dust generated during grinding may irritate eyes.
Skin Contact:	Excessive contact with dust may cause irritation.
Ingestion:	No known effects but ingestion is not recommended.
Other:	Some grinding operations may cause noise or vibration irritation. Grinding wheels are not a known carcinogen.

Section IV - First Aid Measures

Eyes:	Immediately flush with plenty of water. Get medical attention if irritation persists.
Skin:	Wash skin with soap and water. Get medical attention if irritation persists.
Inhalation:	Move to fresh air.
Other	If hearing problems persist, obtain medical assistance if necessary.

Section V - Fire Fighting Measures

Flash Point:	None
Flammable Limits:	None
Extinguishing Media:	Any media appropriate for the surrounding fire.
Fire Fighting Equipment:	Fire fighters should wear goggles and self-contained breathing apparatus to avoid inhalation of smoke or vapors.
Fire and Explosion Hazards:	None from this product. Consideration must be given to the potential fire / explosion hazards from the material being processed. May materials create flammable / explosive dust when ground.

Section VI - Accidental Release Measures

Clean Up:	Use normal clean up procedures.
Disposal:	Dispose of in accordance with local, state and federal regulation.



COMPANIA NACIONAL DE ABRASIVOS, S.A. DE C.V.
 PLANTA: AVENIDA 1 DE MAYO No. 1801 ORIENTE ZONA INDUSTRIAL
 TOLUCA, MEX. C.P. 50071
 CONMUTADOR: (722) 548-03-30 VENTAS 548-03-40 FAX. 216-08-12
 EMAIL: cinasatol@prodigy.net.mx
www.cinasa.com.mx



Section VII - Handling and Storage

Handling:	Do not use at speeds greater than product was made to be used. Inspect wheel for damage on arrival and prior to mounting on machine. Avoid breathing dust. Avoid skin and eye contact with grinding dust. Use in well ventilated area.
Storage	Wheels should not be exposed to water or other solvents; any temperature or humidity condition that causes condensation on the wheels or freezing temperatures. See ANSI B7.1,2.3.

Section VIII - Exposure Controls / Personal Protections

Respiratory Protection:	Use NIOSH approved respirators as required to maintain exposure below Threshold Limit Values (TLV/TWA). See OSHA 29 CFR 1910.134.
Skin Protection:	Leather, cloth, rubber or vinyl gloves as desired by user.
Eye Protection:	Safety goggles or safety glasses with side shields are recommended. See OSHA 29 CFR 1910.133.
Hearing Protection:	See OSHA 29 CFR 1910.215 concerning hearing protection.
Engineering Controls:	Local exhaust ventilation as necessary to keep dust levels below Threshold Limit Values (TLV/TWA).
Other Precautions:	Visually inspect all wheels before mounting for possible damage. Do not operate above maximum operating speed. Always use a guard. Refer to ANSI B7.1 for the "Safety Requirements for the Use, Care and Protection of Abrasive Wheels."

Section IX - Physical and Chemical Properties

Boiling Point:	NA
Vapor Pressure:	NA
Vapor Density:	NA
Specific Gravity:	1.5 - 3.1
Solubility in Water:	Very slightly
Freezing Point:	NA
Melting Point:	NA
pH:	Not Relevant
Physical Form:	Solid
Color:	Various
Odor:	None



COMPANIA NACIONAL DE ABRASIVOS, S.A. DE C.V.
 PLANTA: AVENIDA 1 DE MAYO No. 1801 ORIENTE ZONA INDUSTRIAL
 TOLUCA, MEX. C.P. 50071
 CONMUTADOR: (722) 548-03-30 VENTAS 548-03-40 FAX. 216-08-12
 EMAIL: cinasatol@prodigy.net.mx
www.cinasa.com.mx



Section X - Stability and Reactivity

Stability (Conditions to Avoid):	This is a stable material. Avoid overspeed and unsafe use conditions.
Incompatibility (Specific Materials to Avoid):	Avoid strong acids and bases.
Hazardous Polymerization:	Will not occur.
Hazardous Decomposition:	Dusts are generated in use. In most cases, dusts from the workpiece will be significantly greater than from the grinding wheel. Coolants may produce other decomposition products.

Section XI - Toxicological Information

No Information Available

Section XII - Ecological Information

No Information Available

Section XIII - Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section XIV - Transport Information

Grinding wheels are not a DOT hazardous material.

Section XV - Regulatory Information

This product does not contain and was not manufactured with any Ozone Depleting Chemicals.

Section XVI - Other Information

The information and recommendations set forth are taken from sources believed to be accurate. Cia. Nacional de Abrasivos, S.A. de C.V. makes no warranty with respect to the accuracy of this information or the suitability of these recommendations, assumes no liability to any user thereof. It is the responsibility of the user to investigate and understand pertinent sources of information to comply with all laws and procedures applicable to the safe use and handling of the product and to determine the suitability of the product for its intended use.